

Aboselyochten transport p. 97.

By de waterkering dieppong van 570^{1/4} aller 605^{1/4} gem 587^{1/4}
waterwyspleating 15400 lb

| | | | | | |
|---|--------|-----|-----|---------|----------|
| vermindert met betimmering onnuttig, 700 lb. | 490 lb | 200 | 100 | } | 3140 |
| bruiklening met rib; cement; 1/2 geot bla, 1000 | 3000 | 150 | | | |
| | | | | gewicht | 12260 lb |

diep-gang compleet eroder halve van 550^{1/4}; aller 945^{1/4}
Looding minstens 300 ton mossels a 90 lb p. ton.
in een. m³ gaan 7 ton mossels.

Abossegellen von den Ibeeren Bazj. Schol.
 Tholen en Blommetent Diekree ofen 15.25 x
 4.50 ell x 2.16 ell 6 mm 24 en 228.

| Katerveplaatting | | | | Katerveplaatting | | | | | |
|------------------|-------|---------|--------|------------------|-------|-------|---------|--------|-------|
| Splo | Plan | effl | Scheel | Form | Splo | Plan | effl | Scheel | Form |
| 0 | 0 | 20x20x2 | 1/2 | 0 | 0 | 0 | 20x20x2 | 1/2 | 0 |
| 1/2 | 0 | 0 | 2 | 0 | 1/2 | 0 | 0 | 2 | 0 |
| 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 |
| 1 1/2 | 0 | 0 | 2 | 0 | 1 1/2 | 0,022 | 0,176 | 2 | 0,352 |
| 2 | 0,005 | 0,040 | 1 1/2 | 0,060 | 2 | 0,050 | 0,400 | 1 1/2 | 0,600 |
| 3 | 0,026 | 0,208 | 4 | 0,832 | 3 | 0,093 | 0,744 | 4 | 2,976 |
| 4 | 0,043 | 0,344 | 2 | 0,688 | 4 | 0,120 | 0,960 | 2 | 1,920 |
| 5 | 0,050 | 0,400 | 4 | 1,600 | 5 | 0,132 | 1,056 | 4 | 4,224 |
| 6 | 0,052 | 0,416 | 2 | 0,832 | 6 | 0,134 | 1,072 | 2 | 2,144 |
| 7 | 0,050 | 0,400 | 4 | 1,600 | 7 | 0,131 | 1,048 | 4 | 4,192 |
| 8 | 0,023 | 0,184 | 1 1/2 | 0,276 | 8 | 0,092 | 0,736 | 1 1/2 | 1,104 |
| 8 1/2 | 0,005 | 0,040 | 2 | 0,080 | 8 1/2 | 0,051 | 0,408 | 2 | 0,816 |
| 9 | 0 | 0 | 1 | 0 | 9 | 0,006 | 0,048 | 1 | 0,048 |
| 9 1/2 | 0 | 0 | 2 | 0 | 9 1/2 | 0 | 0 | 2 | 0 |
| 10 | 0 | 0 | 1/2 | 0 | 10 | 0 | 0 | 1/2 | 0 |

1/3 L/10

5.968
 1.1437
 41776
 179014
 23872
 5968
 3) 8.576016
 2,859 ell³

1/3 L/10

18,376
 1,437
 128632
 55128
 73504
 18376
 3) 26,406312
 8.802 ell³

8/5 1951. Bohmme ark
gerige. 1.33 erl met
so kon plating een afwijking
hebben van ± 1.33 erl
F geticht ontipe.
af 12 km beneden heijland

Waterway Laying out 0, 60 en 0, 80 ell uit hiel

| Plaatfl | Selekt | Form | | |
|---------------|---------|-------|-------|-------------------------|
| 20x20x2 | 20x20x2 | | | |
| 0 - 0 | 0 | 1/2 | 0 | |
| 1/2 - 0 | 0 | 2 | 0 | |
| 1 - 0,025 | 0,200 | 1 | 0,200 | |
| 1 1/2 - 0,072 | 0,576 | 2 | 1.152 | |
| 2 - 0,111 | 0,888 | 1 1/2 | 1.332 | |
| 3 - 0,171 | 1,368 | 4 | 5.472 | |
| 4 - 0,207 | 1,656 | 2 | 3.312 | |
| 5 - 0,220 | 1,760 | 4 | 7.040 | |
| 6 - 0,230 | 1,840 | 2 | 3.680 | |
| 7 - 0,221 | 1,768 | 4 | 7.072 | |
| 8 - 0,175 | 1,400 | 1 1/2 | 2.100 | |
| 8 1/2 - 0,120 | 0,960 | 2 | 1.920 | |
| 9 - 0,051 | 0,408 | 1 | 0.408 | |
| 9 1/2 - 0 | 0 | 2 | 0 | |
| 10 - 0 | 0 | 1/2 | 0 | |
| | | | | 33.688 |
| 1/2 L/10 | | | | 1.437 |
| | | | | 235816 |
| | | | | 101064 |
| | | | | 134752 |
| | | | | 33688 |
| | | | | 3)48.409656 |
| | | | | 16.136 ell ³ |

| Plaatfl | Selekt | Form | | |
|---------------|---------|-------|--------|-------------------------|
| 20x20x2 | 20x20x2 | | | |
| 0 - 0 | 0 | 1/2 | 0 | |
| 1/2 - 0,004 | 0,032 | 2 | 0,064 | |
| 1 - 0,079 | 0,632 | 1 | 0,632 | |
| 1 1/2 - 0,142 | 1,156 | 2 | 2,272 | |
| 2 - 0,192 | 1.536 | 1 1/2 | 2.304 | |
| 3 - 0,265 | 2.120 | 4 | 8.480 | |
| 4 - 0,303 | 2.424 | 2 | 4.848 | |
| 5 - 0,321 | 2.568 | 4 | 10.272 | |
| 6 - 0,331 | 2.648 | 2 | 5.296 | |
| 7 - 0,322 | 2.576 | 4 | 10.304 | |
| 8 - 0,268 | 2.144 | 1 1/2 | 3.216 | |
| 8 1/2 - 0,206 | 1.648 | 2 | 3.296 | |
| 9 - 0,120 | 0,960 | 1 | 0.960 | |
| 9 1/2 - 0,012 | 0,096 | 2 | 0.192 | |
| 10 - 0 | 0 | 1/2 | 0 | |
| | | | | 52.136 |
| 1/2 L/10 | | | | 1.437 |
| | | | | 364952 |
| | | | | 156408 |
| | | | | 208544 |
| | | | | 52136 |
| | | | | 3)74,919432 |
| | | | | 24,973 ell ³ |

Waterweyplanting sub 1000 en 1200 1/4 met hiel

Planckffl School Form
20x20x2

Planckffl School Form
20x20x2

| | | | |
|---------------|-------|-------|--------|
| Apr 0 - 0 | 0 | 1/2 | 2 |
| 1/2 - 0.040 | 0,520 | 2 | 0,640 |
| 1 - 0.145 | 1,160 | 1 | 1,160 |
| 1 1/2 - 0,226 | 1,808 | 2 | 3.616 |
| 2 - 0,280 | 2.240 | 1 1/2 | 3.360 |
| 3 - 0,362 | 2,896 | 4 | 11.584 |
| 4 - 0,408 | 3.264 | 2 | 6.528 |
| 5 - 0,426 | 3.408 | 4 | 13.632 |
| 6 - 0,436 | 3.488 | 2 | 6.976 |
| 7 - 0,430 | 3.440 | 4 | 13.760 |
| 8 - 0,370 | 2.960 | 1 1/2 | 4,440 |
| 8 1/2 - 0,300 | 2.400 | 2 | 4.800 |
| 9 - 0,197 | 1.576 | 1 | 1.576 |
| 9 1/2 - 0,060 | 0,480 | 2 | 0,960 |
| 10 - 0 | 0 | 1/2 | 0 |

| | | | |
|---------------|-------|-------|-------------|
| Apr 0 - 0,092 | 0 | 0 | 1/2 0 |
| 1/2 - 0,221 | 0,092 | 0,736 | 2 1,472 |
| 1 - 0,310 | 0,221 | 1.768 | 1 1.768 |
| 1 1/2 - 0,375 | 0,310 | 2,480 | 2 4.960 |
| 2 - 0,462 | 0,375 | 3.000 | 1 1/2 4.500 |
| 3 - | 0,462 | 3.696 | 4 14.784 |
| 4 - | 0,513 | 4.104 | 2 8.208 |
| 5 - | 0,540 | 4.320 | 4 17.280 |
| 6 - | 0,546 | 4.368 | 2 8.736 |
| 7 - | 0,540 | 4.320 | 4 17.280 |
| 8 - | 0,472 | 3.776 | 1 1/2 5.664 |
| 8 1/2 - | 0,398 | 3.184 | 2 6.368 |
| 9 - | 0,281 | 2.248 | 1 2.248 |
| 9 1/2 - | 0,123 | 0,984 | 2 1.968 |
| 10 - | 0 | 0 | 1/2 0 |

1/3 L/10

| |
|------------------------|
| 73.032 |
| 1.437 |
| 511224 |
| 219096 |
| 292128 |
| 73032 |
| 3) 104.946984 |
| 34,98 ell ³ |

1/3 L/10

| |
|-------------------------|
| 95.236 |
| 1.437 |
| 666652 |
| 285708 |
| 380944 |
| 95236 |
| 3) 136.854132 |
| 45,618 ell ³ |

Waterway last year 1400 cu 1600 cu Phil.

Placetff School Form
20x20x2

Placetff School Form
20x20x2

| | | | | |
|-------|---------|-------|-------|--------|
| Apr 0 | - 0 | 0 | 1/2 | 0 |
| 1/2 | - 0,153 | 1.224 | 2 | 2.448 |
| 1 | - 0,304 | 2.432 | 1 | 2.432 |
| 1 1/2 | - 0,402 | 3.216 | 2 | 6.432 |
| 2 | - 0,470 | 3.760 | 1 1/2 | 5.640 |
| 3 | - 0,570 | 4.560 | 4 | 18.240 |
| 4 | - 0,622 | 4.976 | 2 | 9.952 |
| 5 | - 0,648 | 5.184 | 4 | 20.736 |
| 6 | - 0,655 | 5.240 | 2 | 10.480 |
| 7 | - 0,650 | 5.200 | 4 | 20.800 |
| 8 | - 0,580 | 4.640 | 1 1/2 | 6.960 |
| 8 1/2 | - 0,502 | 4.016 | 2 | 8.032 |
| 9 | - 0,375 | 3.000 | 1 | 3.000 |
| 9 1/2 | - 0,196 | 1.568 | 2 | 3.136 |
| 10 | - 0 | 0 | 1/2 | 0 |

1/3 L/10

118,288
 1.457
 828016
 3548.64
 4731.52
 118288

3) 169,979856
 56,659 cu


| | | | | |
|-------|---------|-------|-------|--------|
| Apr 0 | - 0 | 0 | 1/2 | 0 |
| 1/2 | - 0,224 | 1,792 | 2 | 3.584 |
| 1 | - 0,393 | 3.144 | 1 | 3.144 |
| 1 1/2 | - 0,496 | 3.968 | 2 | 7.936 |
| 2 | - 0,568 | 4.544 | 1 1/2 | 6.816 |
| 3 | - 0,675 | 5.400 | 4 | 21.600 |
| 4 | - 0,750 | 5.840 | 2 | 11.680 |
| 5 | - 0,760 | 6.080 | 4 | 24.320 |
| 6 | - 0,770 | 6.160 | 2 | 12.320 |
| 7 | - 0,760 | 6.080 | 4 | 24.320 |
| 8 | - 0,680 | 5.440 | 1 1/2 | 8.160 |
| 8 1/2 | - 0,610 | 4.880 | 2 | 9.760 |
| 9 | - 0,480 | 3.840 | 1 | 3.840 |
| 9 1/2 | - 0,280 | 2.240 | 2 | 4.480 |
| 10 | - 0 | 0 | 1/2 | 0 |

1/3 L/10

141.960
 1.457
 993720
 425880
 567840
 141960

3) 203,996520
 67,999 cu

SCHAAL VAN WATERVERPLAATSING MOSSELJACHTEN
1 c.m. = 5000 kg.



Volhuutscoëfficient $67.999 : (14.57 \times 4.50 \times 1.6) = 0,657$